

ISSN 2757-8135



EUROPEAN
EYE
RESEARCH

Vol. 4 / No 1 / April 2024

www.europeaneyeresearch.com



KONFORUN¹⁻³

Nemin¹

Görüşün²

Nefes Alabilirliğin³

Hafifliğinin^{2,4,5}

ÖTESİNE GEÇİN!



BAUSCH + LOMB

KURU GÖZE VEDA EDİN



Her bir göze 12 saat arayla
günde iki kez birer damla¹



Kontak lenslerle birlikte
kullanıma uygundur.⁴

EPOSTİN

Siklosporin%0.05

- ▶ Oküler Yüzey Hastalığı Endeksinde düşme,²
- ▶ Göz Yaşı Kırılma süresinde artış,²
- ▶ Orta ve İleri seviye Kuru Göz Hastalıklarında
gözyası üretiminde hızlanma² ve
- ▶ Konjonktiva epitel hasarını belirten test
skorlarında anlamlı düşüş sağlanır.^{2,3}

ARTİCAN

%0,2 Sodyum Hiyalüronat

- ▶ Lokalize inflamasyonu kontrol etmeye
yardımcı olur.⁵
- ▶ Gözyaşı filmi kırılma süresini iyileştirir ve
yayılmmasına yardımcı olur.⁵
- ▶ Suyu tutar, yüzey ıslanabilirliğini artırır.⁵

Sağlık meslek mensupları
için hazırlanmıştır.



Referanslar: 1)- EPOSTİN KÜB 2)- Perry H.D. et al Evaluation of Topical Cyclosporine for the Treatment of Dry Eye Disease. Arch Ophthalmol. 2008;126(8):1046-1050 3)- Yılmaz, E. Diyabetik Retinopatiılı Olgularda Kuru Göz Ve Blefarit Sıklığı İle Korneal Topografik Parametrelerin Degerlendirilmesi, T.C. Selçuk Üniversitesi Meram Tip Fakültesi Göz Hastalıkları Anabilim Dalı; Uzmanlık Tezi 4)- ARTİCAN KT 5)- Larson T. Artificial Tears: A Primer. EyeRounds.org. November 23, 2016; Available from: <http://EyeRounds.org/tutorials/artificialtears.htm>

OR KODU OKUTARAK
EPOSTİN KISA URÜN
BİLGİSİNE
ULAŞABİLİRSİNİZ.



42 Maslak Ahi Evran Cad. No:6 Ofis1 Kat: 4 No:2 34398 Maslak – Sarıyer / İstanbul
T +90 (212) 347 75 12 / 13 F +90 (212) 272 07 17 E info@vemilac.com

www.vemilac.com



OR KODU OKUTARAK
ARTİCAN KULLANIM
TALİMATINA
ULAŞABİLİRSİNİZ.



YENİ ENDİKASYONLarda LUCENTIS®'İN GÜVEN VEREN GÜCÜ¹⁻⁹



TÜRKİYE'DE
RETİNA ALANINDA
EN GENİŞ
ENDİKASYONA SAHİP
anti-VEGF⁶

VEGF: Vasküler endotelial büyüme faktörü; nYBMD: Neovasküler (yaş tip) yaşa bağlı makula dejenerasyonu; DMÖ: Diyabetik maküler ödem; RVT: Retinal ven tikanıklığı; PM'ye bağlı KNV: Patolojik miyopiye bağlı KNV; PDR: Proliferatif diyabetik retinopati; KNV: Koroidal neovaskülarizasyon; ROP: Prematüre retinopatisi. ROP endikasyonu, flakonda mevcuttur. Detaylı bilgi için Kısa Ürün Bilgisine ulaşabilirsiniz.

Referanslar: 1. Campochiaro PA, et al. Ophthalmology. 2010;117(6):1102-1112.e1. 2. Brown DM, et al. Ophthalmology. 2010;117(6):1124-1133.e1. 3. Rosenfeld PJ, et al. The New England Journal of Medicine. 2006;355(14):1419-1431. 4. Nguyen QD, et al. Ophthalmology. 2012;119(4):789-801. 5. Wolf S, et al. Ophthalmology. 2014;121(3):682-92.e2. 6. LUCENTIS® Kısa Ürün Bilgisi. 7. Gross JG, et al. JAMA. 2015;314(20):2137-2146. 8. Lai TY, et al. Retina. 2018;38(8):1464-1477. 9. Stahl A, et al. Lancet. 2019;394(10208):1551-1559.

Détaylı bilgi için LUCENTIS® Kısa Ürün Bilgisine <https://www.novartis.com.tr/product-list> adresinden ulaşabilirsiniz. Reçete ile satılır. Ürünlerimizin fiyatları TİTCK tarafından belirlenerek www.titck.gov.tr adresinde yayınlanmaktadır. Güncel bilgilere erişmek için firmamızla başvurunuz.

Eyestil

%0,15 hiyalüronik asit

İki ilaçın farmasötik eşdeğer olması,
terapötik etkilerinin

AYNI veya **KIYASLANABİLİR**
olduğunu **GÖSTERMEZ¹**



Referans: 1. Mised, Türk Eczacılar Birliği Yayınu/Meslek içi
Sürekli eğitim Dergisi, Prof. Dr. Tamer BAYKARA, Mart 2011 Sayı:25-26

Kısa ürün bilgisi için firmamıza başvurunuz.





ISSN - 2757-8135

EUROPEAN
EYE
RESEARCH

EDITOR-IN-CHIEF

Filiz Afrashi, MD

Ege University Faculty of Medicine, Ophthalmology, Izmir, Türkiye

ASSOCIATE EDITORS

Cezmi Akkin, MD

Ege University Faculty of Medicine, Ophthalmology, Izmir, Türkiye

Melis Palamar, MD

Ege University Faculty of Medicine, Ophthalmology, Izmir, Türkiye

Suzan Guven Yilmaz, MD

Ege University Faculty of Medicine, Ophthalmology, Izmir, Türkiye

Elif Demirkilinc Biler, MD

Ege University Faculty of Medicine, Ophthalmology, Izmir, Türkiye

Cumali Degirmencı, MD

Ege University Faculty of Medicine, Ophthalmology, Izmir, Türkiye

INTERNATIONAL ADVISORY BOARD

Iqbal Ike Ahmed, MD

University of Toronto, Ophthalmology,
Toronto, Canada

Jose Fernando Arevalo, MD, PhD

Johns Hopkins Bayview Medical Center, Ophthalmology,
Baltimore, USA

Carl Claes, MD

Claes Retina Clinic, Ophthalmology, Antwerp, Belgium

Murat Dogru, MD

Keio University, Ophthalmology, Tokyo, Japan

Matrin Litev, MD

"St. Petka" Eye Clinic, Varna, Bulgaria

Gueorgui Markov, MD, PhD

Sofia University Faculty of Medicine, Ophthalmology, Sofia,
Bulgaria

Arman Mashayekhi, MD

Mayo Clinic, Ophthalmology, Jacksonville, Miami, USA

Miguel Angel Materin, MD, PhD

Duke University School of Medicine, Ophthalmology, North
Carolina, USA

Gulgun Tezel, MD

Columbia University, Ophthalmology, New York, USA

Tongalp Tezel, MD

Columbia University, Ophthalmology, New York, USA

LANGUAGE EDITOR

Melis Palamar, MD

Ege University Faculty of Medicine, Ophthalmology, Izmir, Türkiye

STATISTICS EDITOR

Kivanc Yuksel, PhD

Ege University Faculty of Medicine, Biostatistics and Medical Informatics, Izmir, Türkiye

The European Eye Research is indexed in OUCI, Scilit, Scope Database, EBSCO and TUBITAK TR Dizin

Owner

Melis Palamar, MD

Ege Universitesi Tip Fakultesi, Goz Hastaliklari AD, Bornova, Izmir, Türkiye

Tel: +90 232 390 37 88

melispalamar@gmail.com

Editor

Filiz Afrashi, MD

Ege Universitesi Tip Fakultesi, Goz Hastaliklari AD, Bornova, Izmir, Türkiye

Tel: +90 232 390 37 88

afrashif@yahoo.com

Contact:

Publisher



Goztepe Mah. Fahrettin Kerim Gokay Cad. No: 200 Da: 2, Goztepe, Kadikoy, Istanbul, Türkiye
Phone: +90-216-550 61 11 Fax: +90-216-550 61 12
e-mail: kare@karepb.com Web: kare@karepb.com

Publications Coordinator: Eymen Iskender
Graphic Design: Beste Kurtcu



NATIONAL ADVISORY BOARD

Yasemin Akcay, MD

Ege University Faculty of Medicine, Medical Biochemistry, Izmir, Türkiye

Zuleyha Yalniz Akkaya, MD

Ankara Research and Training Hospital, Ophthalmology, Ankara, Türkiye

Zeynep Aktas, MD

Gazi University Faculty of Medicine, Ophthalmology, Ankara, Türkiye

Gul Arikan, MD

Dokuz Eylul University Faculty of Medicine, Ophthalmology, Izmir, Türkiye

Halil Ates, MD

Private Practice, Ophthalmology, Izmir, Türkiye

Mine Esen Baris, MD

Ege University Faculty of Medicine, Ophthalmology, Izmir, Türkiye

Cenk Can, MD

Ege University Faculty of Medicine, Pharmacology, Izmir, Türkiye

Naim Ceylan, MD

Ege University Faculty of Medicine, Radiology, Izmir, Türkiye

Cagatay Caglar, MD

Hitit University Faculty of Medicine, Ophthalmology, Corum, Türkiye

Mehmet Citirik, MD

Ulucanlar Research and Training Hospital, Ophthalmology, Ankara, Türkiye

Sibel Demirel, MD

Ankara University Faculty of Medicine, Ophthalmology, Ankara, Türkiye

Oya Donmez, MD

Izmir Tinaztepe University, Ophthalmology, Izmir, Türkiye

Sema Oruc Dundar, MD

Adnan Menderes University Faculty of Medicine, Ophthalmology,
Aydin, Türkiye

Sait Egrilmez, MD

Private Practice, Ophthalmology, Izmir, Türkiye

Sinan Emre, MD

Ekol Eye Hospital, Ophthalmology, Izmir, Türkiye

Muhsin Eraslan, MD

Marmara University Faculty of Medicine, Ophthalmology, Istanbul, Türkiye

Korhan Fazil, MD

Beyoglu Eye Research and Training Hospital, Ophthalmology, Istanbul, Türkiye

Sirel Gur Gungor, MD

Baskent University Faculty of Medicine, Ophthalmology, Ankara, Türkiye

Murat Hasanreisoglu, MD

Koc University Faculty of Medicine, Ophthalmology, Istanbul, Türkiye

Sibel Kadaiyifcilar, MD

Hacettepe University Faculty of Medicine, Ophthalmology, Ankara, Türkiye

Mahmut Kaya, MD

Dokuz Eylul University Faculty of Medicine, Ophthalmology, Izmir, Türkiye

Ozcan Kayikcioglu, MD

Celal Bayar University Faculty of Medicine, Ophthalmology, Manisa, Türkiye

Tolga Kocaturk, MD

Adnan Menderes University Faculty of Medicine, Ophthalmology,
Aydin, Türkiye

Bengu Ekinci Koktekir, MD

Selcuk University Faculty of Medicine, Ophthalmology, Konya, Türkiye

Tuncay Kusbeci, MD

Bozyaka Research and Training Hospital, Ophthalmology, Izmir, Türkiye

Jale Mentes, MD

Ege University Faculty of Medicine, Ophthalmology, Izmir, Türkiye

Serhad Nalcaci, MD

Ege University Faculty of Medicine, Ophthalmology, Izmir, Türkiye

Huseyin Onay, MD

Multigen Genetic Diseases Assessment Center, Medical Genetics,
Izmir, Türkiye

Altan Atakan Ozcan, MD

Cukurova University Faculty of Medicine, Ophthalmology, Adana, Türkiye

Taylan Ozturk, MD

Dokuz Eylul University Faculty of Medicine, Ophthalmology, Izmir, Türkiye

Gozde Sahin, MD

Balikesir University Faculty of Medicine, Ophthalmology, Balikesir, Türkiye

Ali Osman Saatci, MD

Dokuz Eylul University Faculty of Medicine, Ophthalmology, Izmir, Türkiye

Ozlem Barut Selver, MD

Ege University Faculty of Medicine, Ophthalmology, Izmir, Türkiye

Hande Taylan Sekerooglu, MD

Hacettepe University Faculty of Medicine, Ophthalmology, Ankara, Türkiye

Huseyin Cem Simsek, MD

Mugla Sitki Kocman University Faculty of Medicine, Ophthalmology,
Mugla, Türkiye

Didar Ucar, MD

Cerrahpasa University Faculty of Medicine, Ophthalmology, Istanbul,
Türkiye

Onder Uretmen, MD

Ege University Faculty of Medicine, Ophthalmology, Izmir, Türkiye

Canan Asli Utine, MD

Dokuz Eylul University Faculty of Medicine, Ophthalmology, Izmir, Türkiye

Ayse Yagci, MD

Private Practice, Ophthalmology, Izmir, Türkiye

Banu Yaman, MD

Ege University Faculty of Medicine, Medical Pathology, Izmir, Türkiye

Yusuf Yildirim, MD

Beyoglu Eye Research and Training Hospital, Ophthalmology,
Istanbul, Türkiye

Mehmet Ozgur Zengin, MD

Izmir Katip Celebi University, Ophthalmology, Izmir, Türkiye



CONTENTS

Editorial	VII
-----------------	-----

ORIGINAL ARTICLES

Pearl necklace sign and other optical coherence tomography findings in retinal vein occlusion at the first visit <i>Karatas E, Ipek SC, Kasal K, Saatci AO</i>	1–6
Investigation of the chemical structure of silicone oil interacting with bevacizumab by spectroscopic methods: A dose recommendation <i>Tuncer Orhan F</i>	7–15
The effect of ectopic inner foveal layer thickness on metamorphopsia in idiopathic epiretinal membranes <i>Akmaz O, Murat Tokac G, Murat Garli M, Kerci SG, Aydin T</i>	16–23
Opinions of Turkish ophthalmologists on telemedicine applications: A national, questionnaire-based survey <i>Karatas G, Karatas ME</i>	24–29
Impact of obesity on ocular parameters: A comparative study of normal-weight and obese adults <i>Durmaz Engin C, Karaca D, Ozturk T</i>	30–36
A retrospective overview of the scientific researches of Turkish female ophthalmologist scholars: Is there any gender discrimination? <i>Er A, Gobeka HH, Ethem Ay IE, Dogan M</i>	37–41
Surgical approaches to juvenile open-angle glaucoma <i>Un Y, Imamoglu S, Alpogan O, Bolaç R, Yıldız MB</i>	42–50
Evaluation of selective laser trabeculoplasty effectiveness in cases with pseudoexfoliation glaucoma and ocular hypertension <i>Ozturk H, Ozen B</i>	51–56
Efficiency of web-based code-free artificial intelligence platform in classification of vitreomacular interface diseases <i>Kirik F, Ozbas C, Ekinci Aslanoglu C, Koytak IA, Ozdemir H</i>	57–62
The influence of chewing gum activity on tear production: A prospective study of anterior segment optical coherence tomography <i>Ozturk H, Aytogan H, Ayintap E</i>	63–67
Evaluation of ocular surface and corneal parameters in face mask users <i>Ulusoy DM, Bayraktar Bilen N, Saricaoglu MS</i>	68–73
The grievances of medical supervisors against medical residents <i>Khaqan HA, Naz R, Rehman AU, Hassan L, Akram N, Farooqui HM, et al.</i>	74–79
The effect of steep axis incision on astigmatism in cataract surgery <i>Ozen K, Demirtas AA</i>	80–84
Comparison of costs of bevacizumab, ranibizumab, and afibercept in loading dose administration for diabetic macular edema treatment: Observational cost analysis <i>Boz AAE, Celik E</i>	85–89
REVIEW	
Anesthesia for ophthalmic surgery <i>Sahutoglu C</i>	90–102